EMMONS\_HAWKINS HARDWARE CO. Harness Catalogue



# SPECIAL HARNESS CATALOGUE

**SEASON** 1910 and 1911

# EMMONS - HAWKINS HARDWARE Co.

MANUFACTURERS, IMPORTERS AND JOBBERS



Hardware, Tools, Stoves, Household Goods, Cutlery, Guns, Ammunition, Contractors' and Blacksmiths' Supplies, Building Material, Paints and Oils, Gas Fixtures, Mantles, Iron, Steel, Etc.



**HUNTINGTON, W. VA.** 

3

This catalogue presents to your notice a representative line of Harness, Harness Parts and Kindred Goods for the Fall of 1910 and the Spring of 1911. While this is an advance catalogue, giving a fair idea of the goods usually in demand for the general trade, we might add that we are in position to supply on short notice almost anything desired by the contractor, the farmer, the stableman, etc.

Mail orders may be intrusted to us, with the assurance that our prices will be the lowest consistent with shipping facilities and market conditions. Huntington is situated on the Ohio River and enjoys the advantage of four important railway lines, thereby securing good rates by both river and rail. We make special effort to ship all goods the day the orders are received.

We think our friends will agree with us that it is more satisfactory to place your orders with an established house close at home, with a good reputation for reliability and fair and honorable dealing, than it is to send your orders far away to dealers not well known to you. Write us for quotations on your season's requirements.

We are thankful to our many friends for their liberal patronage, which has made possible our Extensive Stock and Efficient Service, to merit a continuance of their many favors will be our constant aim.

EMMONS-HAWKINS HARDWARE CO., HUNTINGTON, W. VA.

> Webster Family Library of Veterinary Medicine Cummings School of Veterinary Medicine at Tufts University 200 Westboro Road North Grafton, MA 01536

# Single Buggy Harness

Bridle.— is inch, flat check and winker stay, overcheck, patent leather blinds, ring bit.

Lines.—<sup>3</sup>1-inch, buckle and billet, all black

Breast Collar.—Folded, short loops, to buckle.

Hames.—312 pounds, Japanned, short loop tugs.

Traces.—1-inch, double and stitched, to buckle.

Collar.—Black buggy.

Saddle.—2½-inch, cloth lined, full pad. Shaft Tugs.—%-inch, leather loop.


Belly Bands.—1-inch, Griffith, 5s-wrap straps.

Turnback.—5,-inch, round buckle-on crupper.

Hip Straps .- %-inch, double.

Breeching Body,-Folded, full layer.

Holdbacks.—¾ - inch, union loop buckles.



Per set.

Bridle.—%-inch, box loops, flat winker stay, overcheck, patent leather blinds, ring bit.

Lines.—7/4-incb, buckle and billet, all black

Breast Collar.—Folded, short loops, to buckle.

Hames.—312 pounds, Japanned, short loop tugs.

Traces.—11/k-inch, double and stitched, to buckle.

Collar.-Kip buggy.

Saddle.-3-inch, cloth lined, full pad.

Shaft Tugs.-1-inch, box loop.


Belly Bands.—114-inch, Griffith, 34-wrap straps.

Turnback.—31-inch, round buckle crupper.

Hip Straps .- 5/8-inch, double.

Breeching Body. — Folded, 74-inch layer.

Holdbacks.—74-inch, union loop buckles.



# Single Buggy Harness

Bridle—5s-inch. metal cheeks, flat winker Поор stays, patent leather blinds.

Lines-3, x 7s-inch, buckle and billet.

Hames and Tugs-Japanned, brass or nickel, 11/8-inch loops and buckles.

Traces-11/s-inch, doubled and stitched, to buckle.

Collar-No. 100.

Breast Collar-Folded, metal loop tugs.


Saddle - 3-inch, leather pad, strap.

Shaft Tugs-1-inch, with billets. Belly Band—Double, 7s x 114inch.

Breeching Body-Folded, with layer, metal loop tugs.

Turnback—5's-inch, double, English style.

Hip Straps-5/s-inch, double. Holdback Straps-7s-inch.



No. 120—Single Buggy Harness. With Breast Collar, X C or Japanned Trimmings, Complete......
No. 121— "Collar and Hames, X C or Japanned Trimmings, Complete...... \$14.50

Bridle-5s-inch, metal loop checks, round winker stays, patent leather blinds.

Lines-7s-inch, buckle and billet.

Hames and Tugs-Brass or nickel trimmed, metal loops, 11/4-inch.

Traces-11/8-inch, single strap. to buckle.

Collar-No. 104.

Breast Collar-21g-inch curved, 13s-inch traces, attached. split neck strap.


Saddle-3-inch, leather lined, strap.

Shaft Tugs-1-inch, metal loops. Belly Band-Griffith style, 34inch wrap straps.

Breeching Body-1%-inch, single strap, metal loop tugs.

Turnback-%-inch, sewed crupper.

Hip Straps-5/s-inch, split. Holdback Straps-34-inch.



No. 110-Single Strap Buggy Harness. With Breast Collar. Solid Brass or Nickel Composition Trimmings \$16,40 Complete ... No. 111-Single Strap Buggy Harness. With Collar and Hames. Solid Brass or Nickel Composition Trim-16.50mings. Complete .....

# Single Buggy and Wagon Harness

metal loop Bridle—5s-mclr. cheeks, round winker stays, patent leather blinds.

Lines—7s x 1-inch, steel billets. Hames and Tugs-Brass or nickel trimmed, metal loops, 11s-inch.

Traces-11s-inch, single strap, to buckle

Collar—No. 104

Saddle-3-inch, swell strap, leather lined.


Shaft Tugs-1-inch, metal loops. Belly Band—Griffith style, 112inch.

Breeching Body—112-inch, single strap, 5s-inch metal loop tugs.

Turnback-34-inch, English. buckle crupper.

Hip Straps—5s-inch, double.

Holdback Straps—7s-inch, brass loops.



No. 115-Single Strap Buggy Harness. Solid Brass or Nickel Composition Trimmings. Complete

.. \$17.50

Bridle-7s-mch, flat cheeks, flat winker stay and side reins, red blinds, ring bit

Lines-1-inch, with buckles and billets.

Hames—Red, X C ball top.

Traces—112-inch, double and stitched, 512 feet with 12inch heel chains

Collar-Black split.

Saddle-512-inch, short leather pad. S \ tree.

Shaft Tugs-With bar buckles and dee billets.


Belly Bands-Flat.

Turnback-1-inch, with safe

Hip Straps 5s-inch, double

Breeching Body-Folded, with

Holdbacks-1-inch, with union loop buckles



Per set.

No. 125-Single Wagon Harness. X C Trimmings Complete

\$21.00

# Single Wagon and Express Harness

Bridle- 1-mch, flat cheeks, flat winker stays and side reins, red blinds, ring bit.

Lines-1-inch, buckles and bil-

Hames—Red, X C ball top

Traces—1"4-inch, double and stitched, 512 feet, with 12inch heel chains

Collar—Black split.

Saddle-512-inch, short leather pad, S.A tree.

Shaft Tugs-With bar buckles and dee billets.


Belly Bands-Flat.

Turnback-114-inch, with safe.

Hip Straps—114-inch, double.

Breeching Body-Folded, with layer.

Holdbacks-114-inch, union loop buckles.



No. 131-- "

No. 130—Single Wagon Harness. X C Trimmings. Complete ...... \$23 00 Full Brass Trimmings. Complete .....

Bridle-34-inch, bex loop cheeks, round winker stays, flat side cheek, half cheek bit.

Lines-1-inch.

Hames-Red, ball top, hox loop tugs.

Traces-111-inch, double and stitched.

Collar—No. 30, kip

Saddle-4-inch, full padded enamel, cloth lined.

Shaft Tugs-114-inch, with billets.


Belly Bands-Folded, leather loops.

Turnback-7s-inch, buckle crupper.

Hip Straps-4-inch, double.

Breeching Body-Folded, box loop tugs.

Holdbacks-1-inch, roller buckle, leather loops



\$27,00

# Single Express Harness

Bridle -"4-inch, box loop cheeks, round winker stay, round side cheek, half cheek bit.

Lines—1 x 11s-inch, buckle and billet.

Hames—Red, ball top, 112-inch box loop tugs,

Traces—112-inch, double and stitched, with cockeyes.

Collar-Kip, team.

Saddle—5-inch, leather pad, single strap skirts

Shaft Tugs—112-inch, 114-inch billets.


Belly Bands—Folded, leather loops.

Turnback—1 x 1½-inch, buckle crupper.

Hip Straps-7s-inch, double.

Breeching Body—Folded, box loop tugs.

Holdbacks—114 - inch, leather loops.



Per set \$36.00

No. 145—Single Express Harness. Full X C Trimmings Complete...

Bridle—"1-inch, round reins and winker stay, nose band, swell blinds.

Lines—11/k-inch, buckle and billets.

Hames—Brass ball top.

Traces—13i-inch, three-row stitched, attached to hames.

Collar-No. 80

Choke Strap-1-inch.

Saddle—5 - inch. harness leather skirts, leather pad

Shaft Tugs 12-inch.


Belly Bands-Folded.

Turnback—114-meli, buckle crupper

Hip Strap—1 meh, faney split

Breeching Body—Double and stitched

Holdbacks 124-inch, leather loop



Per set. \$50.00

No. 155—Single Express Harness. Brass Trunmings Complete.....

# Double Team Harness

Bridles—7,8-inch, Pigeon Wing blinds.

Lines—7,8-inch by 16 feet.

Hames—Red stage, X C ball top.

Traces—1,14-inch by 4,12 feet.
chain 3,12-8-2 stage

Collar—No. 9.

Breast Chains—26-8-2.


Choke Straps—1,14-inch.

Back Bands—Folded, 1,14-inch
layer and billets.

Breeching—Stage, 3,1-inch.

Holdbacks—3,4-inch.

Can also be furnished with 112-inch traces at \$1.00 advance.



Per set.

No. 140-Double Team Harness. X C Trimmings. Complete...

Bridles—7s-inch, flat winker stays, cup blinds, fancy fronts, ring bits.

Lines-1 inch by 16 feet.

Hames—Red, X C, ball top. Traces—1½-inch by 4½ feet, double and stitched, 3½

feet stage chain Collars—No. 31, kip.

Breast Straps—1½-inch, with slides and snaps.


Choke Straps—11/4-inch.

Back Bands—Folded. 11/4-inch reverse billets

Belly Bands—Folded, 11/4-inch buckles.

Breeching—Folded, 114-inch turnback, 7s-inch double hip straps, 74-inch holdbacks

Can also be furnished with 134-inch traces at \$2.00 extra



Per set. . \$40 00

### Double Team Harness

Bridles—1-mch, harness leather cup blinds, round winker stays, fancy face piece, brass fronts, ring bits.

Lines-114-inch by 16 feet.

Hames—Red, dandy brass ball top. Traces—2-inch, heavy, double and stitched, with clips, and 3½ feet heavy stage chains.

Collars-No. 55, fair throatless.

Breast Straps—112-inch, with snaps and slides, or Covert's No. 218 breast chains.


Choke Straps—112-inch.

Back Bands—Red, felt lined, 112inch reverse billets.

Belly Bands—Folded, 112 - inch buckles.


Breeching—Folded, 1½-inch turnback, 1-inch double hip strap, 1-inch holdbacks.

This harness can also be furnished heavier at advance price.



Per set.

No. 160-Double Team Harness. Japanned Trimmings, with Brass Top Hames and Spots. Complete..... \$58.00



Bridles—"4-inch, heavy cup blinds, face piece, round winker stays, ring bits.

Lines—1-inch by 18 feet, extra heavy.

Hames—Dandy concord bolt, brass ball tops.

Traces—2-inch front parts, 134-inch rear parts, with hooks.

Collars—Heavy team No. 80

Breast Straps—112-inch.

Breeching—1%-inch folded, 1%-inch layer, 1%-inch back straps, 1½-inch side straps, 1½-inch side backers.

Per set.



Slip Harness

Saddle-Swell shape, harness top and pad Shaft Tugs-7s-inch, with billets. Belly Bands-7s-inch, flat. Turnback-7s-inch. Hip Straps-"4-inch, double. Breeching Body-Folded

Holdbacks-7s-inch. Per set No. 1—X C Trimmed..... \$6,00

Saddle-512-inch, harness leather top and pad, S. A. tree.

Shaft Tugs-1-inch, with billets.

Belly Bands-7s-inch, flat.

Turnback-78-inch.


Hip Straps—"4-inch, double.

Breeching Body-Folded, 1-inch, layer.

Holdbacks-7s-inch.

Per set.

No. 2-X C Trimmed.....



Saddle-6-mch, straight skirts, S A tree, leather pad.

Shaft Tugs-112-inch.

Belly Bands-112-inch.

Turnback—1<sup>1</sup>4-inch.


Hip Straps-114-inch.

Breeching Body-Folded, 114-inch layer.


Holdback Straps-114-inch

						I Ct Sct.
No. 3\\`it	h 11 i-inch	Breeching.	ХСТ	rimmin	gs	\$14.00
No. 4— "			**			
No. 5 "		**	**			

# Hip Straps and Breeching



# Harness Breeching



No. 31. Stage Breeching. Wide Fold, with Layer, Double-in Rings, Brass Trimmings, Snaps.

 $1 \quad 1\frac{1}{4} \quad 1\frac{1}{2}$ Per Set ..... \$8.00 9 00 10.00



No. 34. Yankee Breeching.


Folded, with Layer, Metal Loops and Clips, Snaps.



No. 32. Stage Breeching.

Folded, with Layer, Metal Clips and Loops, Snaps.


Size, inches .....  $\frac{3}{4}$   $\frac{7}{8}$ 1  $1\frac{1}{8}$   $1\frac{1}{4}$   $1\frac{1}{2}$ Per Set ....... \$5.00 5.50 6.00 6.50 7.00 8.50




No. 37. Yankee Breeching.

Folded, with Layer, Metal Clips, Brass Loops and Buckle Shields, Snaps.

# Flat Harness Breeching








No. 46. Flat Breeching.

								0																
Sia	2c	Bodi	es.	H	1715	Sta	ıv	Gallis	Strat	is, P	er Set.	Su	ze,	Bod	ies	Hi	[15.	Sta	tys.	Gallis	Strap	is. P	er Set	
2 -i	nch	2 - í	neh	1 -	inch	75-	inch	7 👡 –	incl	1	\$3.60	<u>*1</u> −1	nch	:) -	inch	1 -	inch	1 -	inch	75-	inch	1 3	\$4.20	
216	4.4	212	1.4	$1^{1}_{2}$	4.5	$\tau_{s}$	**	7	4.4		4.50	$21_2$	**	$2^{1}2$	4.5	$1^{1}_{2}$		$1^{1}_{2}$	**	7	6.0		5,30	
3		3	4.1	2	4.4	1	5.3	1			5,50	3		3	* 1	k.)) ***		2	14	1	4.4		6.30	
$3^{1}\frac{1}{2}$	4.4	$3^{1}_{2}$	4.4	21.	8.8	115	* *	115	* 1		6.30	$3^{1}_{2}$	4.5	$3^{1}$ $=$		$2^{1}2$	11	$2^{1}2$	* *	115			7.50	
4	**	4		3	4.4	11:	4.5	$1^{1}_{4}$			7.30	4	* *	1		3	4.0	3	**	$1^{1}1$			8.40	

# Express Saddles



Short Leather Pad, Harness Leather Single Strap Skirts, Iron Jockey.

D	iron jouney.	Each.
No. 44-X C Plate. 4 mc	hes	\$4.60
No. 45— " 5		6.00
No. 46-Brass Trimmed.	4 inches	-5.00
No. 47 "	5 "	6.80




Enameled Leather, Full Pad, Patent Leather Skirts.

				Each,
No.	55 —X C Plate. 5	inche	811	 \$7.50
No.	551 2- " " 51	2 "		 8.30
No.	56 -Brass Trimme	d. 5	inches	 8.50
No.	561/2	51.	**	 9.20

## Harness Saddles





No. 13-3 inches wide, 1 inch 



Iron Jockey Tree, Split Leather Pad. Harness Leather Skirts, Japanned or X C Trimmings. No. 22<sup>1</sup>/<sub>2</sub>—2<sup>1</sup>/<sub>2</sub> inches wide, <sup>7</sup>/<sub>8</sub> inch Bearers .... \$2.10 No. 23 —3 inches wide, 1 inch Bearers .... 2.40 No. 2312-312 inches wide, 1

inch Bearers ... 2 70



Harness Leather Skirts, Leather Pad, S. A. Tree, Spots, 1 <sup>1</sup> g-inch Bearers.	
. –	Each.
No. 35—5 inches wide, X C Trimmed	87 60
No. 36—6 inches wide, X C	
Trimmed	8.50
No. 45—5 inches wide, Brass	
No. 46—6 inches wide, Brass	5.50
Trimmed	9-50

# Tassels and Tail Bands



### Hair Tassels.

Assorted Colors-Red, Orange or Green.




Tail Bands.

Per dozen. ... \$2.00

# Cart Saddles and Pads








No. 125—Double Leather Covered Saddle. " " 134 " " 112 " " S.50

# Breast Straps



24 Inches Long.

				Doz	en pairs.
No. 11/4114	mehes	wide	 	 	\$18.00
No. 1 <sup>1</sup> 2-1 <sup>1</sup> 2	* *	**	 	 	20.00
No. 134-121			 	 	22.00



Riveted, with Japanned Slides and X C Snaps. Riveted, with Roller Snap, X C Snaps and Buckles. 24 Inches Long.

										DO,	en pans.
No. 21	1/2-112	inches	wide	٠.,	 			 			\$27.50
No. 21	3/4-134		* *		 			 			30_00
No. 22	o		4.4					 	 		33.00

# Harness Parts

No. 12—Single Wagon Lines.       7s inch x 13 feet       Creased.       Sewed on Snaps.       Riveted Buckles.       Per dozen.         No. 13— " " " " X 13 " " X 13 " " " " " " " " " " " " " " " " " "
Per dozen.  No 9 Single Puggy Lines "a v 7 meh Buckle and Billet Sewed in Japanned Buckles. \$30,00
No. 2—Single Buggy Lines.  No. 4— " " "
No. 23—Double Buggy Lines.       "1 x 7s mches 7s mches Creased.       Creased. Japanned Bar Buckles.       Buckles.       \$3.50 ms.         No. 25— " " " 1 x 1 s " " " " " " " " " " " " " " " " " "
Per dozen.
No. 120—Double Wagon Check Lines. Light Weight. 75 inch x 16 feet. Snaps and Buckles Riveted on \$40 00 No. 121—
Per dozen
No. 130—Double Wagon Check Lines. Medium Weight. 7s inch x 16 feet. Snaps and Buckles Sewed on No. 131— " " " " " " " " " " " " " " " " " " "
HALTER OR HITCH REINS.
RIDING BRIDLE REINS.  Black or Fair Leather. Bar Buckles.  Black or Fair Leather. Bar Buckles.
No. 2— \$\frac{3}{1}\$-inch Leather \$6.80 No. 5— \$\frac{7}{5}\$-inch Leather \$12.00 No. 3— \$\frac{7}{5}\$ " " \$00 No. 6—1 " 14.00 No. 4—1 " 9.50 No. 7—1\frac{1}{4}" 18.00
No. 2—Hold Back Straps. 7s-inch Leather. Union Loop Buckles, Riveted on. \$10 00 No. 3— " " 1 " " 12 00 No. 4— " " 114 " " " " " 14 00 No. 5— " " 114 " " 114 " " 16 00 No. 5— " " 114 " " " 16 00 No. 5— " " 115 00 No. 5— " " 116 00 No. 5— " " 117 00 No. 5— " " 118 00 No. 5— " " 119 00 No. 5— " 119 00 No.

# Harness Parts



### Hame Housing.


15 x 36	inches.	Black	Harness	Leather	 \$ 9.00
$18 \pm 40$	**	**	**	* *	 11.00



 Trace Pipes.

 Length, inches
 30
 36
 42

 Per Set of Four
 \$4.00
 4.80
 6.00



### Flat Wagon Belly Bands.

 Width, inches
  $1^{1}$  2  $2^{1}$   $2^{1}$   $2^{1}$   $2^{1}$   $2^{1}$  

 Sewed, per dozen
 \$8,50
 11,50
 15,50

 Riveted, per dozen
 7,00
 10,00
 14,00




### Yoke Straps.

Width.	inches	 	$1^{1/_{8}}$	$1\frac{1}{4}$	11 2
Dozen	Pairs	 	\$13.00	15.00	19,00



No. 253—Spread Straps. 5% inch. To Buckle. Three Duranoid Rings, Red, White and Blue...........\$5,00


# Harness Leather



 Harness Leather Sides.
 Oak Tanned Packer Hides.
 No. 1 Grade.
 Weights from 18 to 25 lbs.
 ...

 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...</

# Harness Snaps



No. 14. Bolt Snaps. Round Eye. X C Plate.

Inch	 1 2	5 8	3.4
Per Gross	 \$4 80	5 00	5,20
Gross in Box .	 1 2	1 2	12



### Bolt Snaps. Open Eye. X C Plate.

		Per gross.
No. 251—"s-inch.	Light Bit Snap	\$5.20
No. 252—35 "	Medium Chain Snap	6 20
No. 253 _ 1	Heavy Trace Snap	9 40



No. 15. Bolt Snaps. Loop Eye. X C Plate.


3 1 7/8 1  $1^{1}_{78} = 1^{1}_{74} = 1^{1}_{2}$ Per Gross. .. \$4.38 | 4.38 | 4.38 | 6.00 | 7.10 | 8.00 | 9.80 Gross in Box...



### Double Bolt Snaps. X C Plate.


	Per gross.
No. 261 — Light Pattern	. \$ 9.00
No. 262 — Medium Pattern	. 10,50
No. 263 - Heavy Pattern	. , . 13 50

Half Gross in a Box




No. 16. Bolt Snaps. Swivel Eye. X C Plate.


Inch	 5.8	3,4	7/8	1
Per Gross	 \$7.90	9.00	11.00	17,20
Gross in Box	 1 2	12	1 4	14



No. 210. German Snaps. Bronzed.

3,4 Inches ... 7/8 1<sup>1</sup> 8 1<sup>1</sup>/4 1<sup>1</sup> 2 \$2 40 2 40 2.40 2 40 2.70 4 20 5.50 Per Gross . 12





Inches		 	 11/4	1 <sup>1</sup> 2	$1^{3}4$	2
Per Doz	en	 	 \$1.84	2.00	2 16	2,32



No. 94. Breast Strap Buckle Snaps. X C Plate.

Inches		 	 	$1^{1}_{2}$	$1^{3}4$
Dozen	Pairs	 	 	82.25	2 75


One Dozen in a Box.

Half Dozen Pairs in a Box.

### Harness Buckles




No. 2. Horseshoe Harness Buckles. Japanned.




No. 20. Plain "Sensible" Harness Buckles. Japanned.

Circiss in Box



No. 50X. Barrel Roller Harness Buckles.




No. 93. Warner Union Loop Buckles.



No. 4. Horseshoe Trace Buckles. Japanned.

Inches	 7/8	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1^{1}$ 2	$1^{3}/4$
Per Dozen	\$0.00	3.5	40	. 50	65	.80
Dozen in Box	2	22		22	2	2




No. 22. Plain "Sensible" Trace Buckles. Japanned.

Inches	7 '8	1	<b>1</b> <sup>1</sup> 8	$1\frac{1}{4}$	$1^{1}/_{2}$
Per Dozen	\$0.45	60	70	.90	1,20
Dozen in Box	2		2	2	2



No. 74. Malleable Roller Harness Buckles.



No. 161. Loop Roller Harness Buckles.

# Harness Hardware

"

	Ja	panne	d Hai	rness	Rings	<b>S.</b>				
Inches			$1/_{2}$	5/8	3/4	7/8	3	1	1½	$1\frac{1}{4}$
Per Gross		\$	0.54	. 54	. 58	. 6	s .	86	.96	1.14
Gross in a Box			2	2	2	1		1	1	1
	Ja	panneo	l Bre	eching	g Rin	gs.				
Inches		$1\frac{1}{7}$ 4	13 s	1 <sup>1</sup> 2	134	2	$2^{1}_{4}$	$2^{1/2}$	2 <sup>3</sup> 1	3
No 4 Gauge, pe										
No 3 " "		1.45	1.60	1.80	2 05	2,20		2.70		
No. 2 "		1.80	2,00	2 15	2.40	2,70	3 05	3 40		
No. 0 " "					4.10	1 40	5 10	5 60	5.95	6.30

	Mediur	n Patt	ern.						
Inches	3,4	7/8	1	$1\frac{1}{8}$	$1^{1}_{-4}$	11/2	$1^{3}4$	2	
Per Gross									
Gross in a Box 2									
	Heavy	Patte	rn.						
Inches		. 1		$1\frac{1}{4}$	$1^{1}{}_{2}^{\prime}$	1	3,4	2	
Per Gross		. \$1.5	1	2.40	3,36	+	56	6.04	
Canas in a Pan		1		1.6	1		1.	1,	

Harness and Breeching Dees.





### Breast Strap Slides.

	-	G 1 1	*** 1	T 1
Malleable	Iron.	Standard	Weight.	Japanned.


Size			 	11 4	$1^{1}$ 2	1 <sup>3</sup> <sub>4</sub>
Weight per gross,	H15	 	 	3.5	40	4.5
Per Gross			 	\$6-25	6,25	7.25

Onc-Twelfth Gross in a Bex.

Heavy	Team	Trace	Hooks.
-------	------	-------	--------

### With Screw and Roller.

Size, inches		$1\frac{1}{2}$	134	2	$2^{1}$ 4
Per Dozen		\$1.50	1.60	1 80	2.10
	One Dozen in a Box.				





### Martingale Rings.

### Duranoid. Red, White and Blue.


			1			4	5
Size, inches		111	$1^{1}_{2}$	1.5	1 33 4	178	:1
Per Gross		\$9.00	10.00	11 00	12 00	15.00	18 00
	1	Three Do	cen in a I	Box.			

### Wood. Red, White and Blue.

Nos	2	3	4
Size, inches	1 23 4	2	$2\frac{1}{4}$
Per Gross			


One Dozen in a Box

### Team Bridles




All Black Leather, Pigcon-Wing Blinds, Flat Winker Stays, Japanned Buckles, X C Bit

				P	er do <b>zen.</b>	
No.	1 21:	-mch	Leather		\$12.00	No. 21— 5-
	2 75		* *		14.00	No. 22 -1
	<b>3</b> 1		b b		16.00	No. 23—11
	411	**			19.50	No. 24—1 <sup>1</sup> 1




Black Leather, Red Patent Leather Front, Face Piece, and Round Cupped Blinds, Round Winker Stays, Japanned Buckles, X C Bit.

				P	er doz	en.
No.	21	inch	Leather		823	00
No.	<b>22</b> −1	**	* *		25	00
No.	23-11	* >	**		27	00
No.	24-111	h h	* *		20	(10)



Black Leather, Patent Leather Round Cupped Blinds and Front, Brass Spots and Rosettes, Round Winker Stays, Japanned Buckles, X C Bit

				Р	er doz	en.
No.	31— Ts-i	nch	Leather		\$19	00
No.	<b>32</b> —1	* *			21	.00
No.	<b>33</b> —115	h %	**		23	0()
No.	34-11:	b 8	**		25	00



No. 222.

Black Leather, Patent Leather Bluids and Fronts, Round Cupped Blinds, Flat Winker Stays, Japanned Buckles, X C Bits

Per dozen No. 42 - 7s-in Leather \$17.00 No. 43 -1 " " 19 00 No. 44 -112 " " 21 00 24.00



Very Best Grade Black Harness Leather, Patent Leather Pigeon-Wing Blinds, Cupped with Metal Centers. Round Winker Stays. Patent Leather Drop Forepiece, Brass Spots, Solid Brass Trummings, X C Bit Made in one size


Per dozen. No. 50 -1-inch Leather .. \$48 00 No. 51-With Nose Band 50 70

# Riding Bridles



Black Leather, X C Port Bit.

No.	12	i -mch	Leather	 \$16	()()
No.	13	7		 18	00
No.	14-1	**	4.8	20	04
No.	<b>15</b> - 1	18	* *	 90	. 00




Texas Bridle. Black or Fair Leather, Double Head Stall, Felt Crown, X C Port Bit.

			I.	er doz	en.
No.	76-12-inch	Leather		\$16	.00
No.	77—5	**		18	0.0
No.	78—14	* *		20	()()
No.	79—7、 "	٠.		22	00




Black or Fair Leather, X C Port Bit.

					~
No. 61 "1	-inch	Leath	er	\$17	00
No. 62- 7	**			19	
No. 63—1	**	1.4			,00
No. 64-114				23	()()




Round Leather Bridle. Black or Fair, Flat Crown, X C Port Bit.

			Per dozen.
No. 90	) -8 <sub>1</sub> -inch	Leather	. \$23,00



Whitman Bridle. Black or Fair Leather, X C Port Bit.


			ł	'er dozen.
No. 70-	#4-inch	Leather.		-823.00
No. 71-	7.	**		25,00
No. 72	1			27 00



Hand-Made Texas Bridle. Black or Fair Leather, Double Head Stalls, X C Port Bit.


No. 95—115—inch Leather .. \$30.00

# Leather Halters




Sewed Six-Ring Halters. Black Leather.

		Pero	lozen.
No.	470—1 -inch		\$4.70
No.	480—1 <sup>1</sup> / <sub>24</sub> "		5.95
No.	490-112 "		7.00



Riveted Five-Ring Halters. Black Leather.


	1 (1 (102)	
No. 489—1 -inch		
No. 499—114 "	5 (	7.5



Hand-Sewed Five-Ring Halters. Black Leather.


Per dozen. No. 600—114-inch .... \$6.45

# Web and Rope Halters




Sewed Web Halters. Assorted Colors.
Per dozen.

No. 431—Web Trimmed .... \$1.30 No. 432 Leather Trimmed 1.45




Champion Adjustable Halters. Assorted Colors.

Per dozen. No. 255---All 13-Cord Web., \$1.70



Adjustable Rope Halters.





No. 90. Somerset.


Tree	$15\frac{1}{2} \times 11\frac{1}{2}$ inches
Skirts	x x9 x 16 inches
Stirrup Leathers.	
Stirrups	3 inches
Girth	Fancy cotton
Pad	
Leather	Fair

No. 92. Somerset.

Tree	
Skirts	$\dots \dots $
Stirrup Leathers	inch
Stirrups	inches
Girth	Fancy cotton
Pad	Hair stuffed
Leather Fancy, with	black enamel leather seat, quilted
Seamed Tockeys.	


Each, \$8.00

Each, \$4.50



No. 55. Kilgore.


Tree.		
Skirts		$10^{12} \times 18$ inches
Stirrup Leathers		1 inch
Stirrups		4 inches
Girth		Fancy cotton
Seat		Calf, padded and quilted
Pad	 	Sheeting lined
Leather	 	Fair



No. 58. Kentucky Kilgore.

Tree = = =				17 inches
Skirts.,	. ×-		1	$1\% \times 20$ inches
Stirrup Leathers		<i>.</i>		$\dots 1\frac{1}{8}$ inches
Stirrups				4 inches
Girth	. 101			11-cord
Seat	Plain, se	eamed	jockeys, le	ather housing
Pad			<i></i> . C	snaburg lined
Leather	<i></i> .			Fair

Each, \$9 00.



### No. 120. Imitation Spring Seat.


Tree16 inches, Somerse
Skirts
Stirrup Leathers 1 incl
Stirrups inches
Girth
Seat Calf, star stitched, hand raised
Each, \$11.50

### No. 127. Ky. Spring Seat.

	-	-	_	
Tree 16 in	ches, F	Zen'k	y So	merset
Skirts				
Fenders				
Stirrup Leat	hers		$1^{1}\varsigma$	inche-
Stirrups				
Girth				10-cord
Seat		. Calf,	roll	cantle
E	ach \$1	5 50		

No. 121. Ky. Spring Seat.


Tree 16 x 13 inches, Somerset
Skirts
Stirrup Leathers 11/5 inches
Stirrups 4 inches
Girth11-core
Seat Calf, star stitched, hand raised
Each, \$15 00.



No. 122. Kentucky Spring Seat.

Tree 1	6 x 13	inches,	Kentucky S	omerset
Skirts			$12^{8}e \times 23$	inches
Stirrup Leathers				
Stirrups				4 inches
Girth				.13-cord
Seat Calf, star	stitel	ied, hanc	l raised, rol	ll cantle
Pad				
Leather				Fair


Each, \$16,50



No. 128. Kentucky Spring Seat.

Tree 16 x 13 inches, Kentncky Somerset
Skirts
Stirrup Leathers
Stirrups4 inches
Girth11-cord
Seat
Pad Sheepskin, Osnaburg lined
LeatherFair

Each, \$15.00



### No. 175. McClellan.

Tree...1612 inches, full leather covered, with brass shields, and coat straps.


Each, \$16 00

### No. 176. McClellan.

Tree...17 inches, rawhide covered, with brass shields, and coat straps

Skirts	Square, round corners
Fenders	$1.000 \cdot 1.000 \cdot 1.00$
Stirrup Leathers	
Stirrups	4 inches, leather covered
Girth	Gray hair, Texas ring
Leather	Black or fair

Each, \$16.00.



### No. 142. Buena Vista.


Each, \$30.00

### No. 145. Buena Vista.

Each. \$35.00

Tree	. 18 inches	Tree
Skirt	23 inc ies	Skirt
Seat		Seat
Fenders	17 x 91g inches, patent loop	Fenders * 2
Stirrup Leathers	.11s inches	Stirrup Leathers
Tie Strap and Rigging	11s inches	Girth Straps
Girth	20 strand white cotton	GirthLong buckle
Stirrups.	5-inch, sawed Texas	Stirrups 5-inch, solid bent Texas
Pads	Full sheep, linsey lined	Pads Full sheep, linsey lined

# Ladies' Riding Saddles



### No. 223. Parkside Saddle.

Tree	.18 inches, Park
Skirts	
PadShee	pskin, linsey lined
Girth	4 inches, white
Surcingle	4 inches, white
Stirrup	Slipper
Scat	Pigskin


### No. 3W. Ladies' Astride Saddle.

Tree			17-inch, leather lined
Skirts			$12^{1}_{2} \times 22^{1}_{2}$ inches
Stirrup Lea	thers.		11s inches
Stirrups			Small safety
Girth	Pl	am white	English web, buckle and tie
Seat			Genuine pigskin
Leather			

Each, \$30,00.

Each, \$29 00.

# Saddle Parts




	Per dozen. . \$1.50
	Per dozen.
Corded Cotton Saddle Girths. With Rings. 30 and 36 inches long	\$2.40
E-(5)	
	Per dozen.
THE PARTY OF THE P	
The state of the s	
	Per dozen.
Texas Corded Cotton Baddie Orths. 20 Strain.	\$5 00 5 50
	. 6 00
ALLEVALES ANALYSIS STATES ANALYSIS CONTROL OF THE STATES ANALY	
California Saddle Girths. Soft Gray Hair 2 Bars 18 Strands	Per dozen. \$ 5 60
" " Hard " " 2 " 18 " 4 Cord	15 50
Saddle Fenders.  Per pair.  Saddle Stirrups.	Dozen p <b>airs.</b>
	\$2.50 3.00
	Dozen pairs.
Stirrup Straps. To Buckle frair or Black to the to the wide the wide	., \$12.00

# Horse Collars




Per dozen. No. 104—Buggy Collar. Full Kip, Pieced Shoulder, Open Top. About 10<sup>4</sup>g-inch draft \$25-00






Per dozen. No. 9—Team Collar. Black Split Leather Back and Rim. Fair Collar Leather Face, Pop Stitched About 13<sup>1</sup>2-inch draft... \$29.00



Per dozen. 


# Horse Collars




No. 3—Team Collar. Full Meta Stitched Black Collar Leather Back and Rim. For Leather, Wood Face About 14-meta drives in the










No. 75-Extra Heavy Scotch Collar. Solid Back. Patent Flexible Throat with Extra Throat Piece, Best Selected Heavy Russet Kip Stock. Extended Face forming Solid Welt. Thong Leather Sewed Edges, Double Thong Sewed Rim, Wool Face, one Buckle with Thong Sewed Bil-let, Heavy Pressed Pad, Hand Finished. 860 00

Will adjust itself to any shape neck, needs no Collar Pad.




Per dozen.

No. 127—Heavy Team Collar. Fair Face, Black Back and Rim, Full Thong Sewed, Pieced Back, Whole Rim, Peak Top, one Buckle, Sole Leather Pad, Riveted on: 16-inch draft..... \$46 00




No. 126-Medium Weight Team Collar. Full Kip, Fair Face, Black Back and Rim, Full Thong Sewed, Pieced Back, Whole Rim. Peak Top, one Buckle, Pressed Sole Leather Pad. 16-inch draft..... \$48 00




Per dozen. Boston Dray. Heavy Pattern, Black Kip Back and Rim, Black Kangaroo Face, Full Thong Sewed, Concord Seam, Whole Back and Rim Lined with Duck, Pocket filled with Curled Hair, Peak Top, one Buckle ..... \$50.00

### Hames



2-Hook Hame. Two-Loop Plow Hame. Steel over Top. Varnished Backs and Trummings, Damas-No cus Finish, Wrought Steel Trimmed. Regular llorse and Mule Sizes. Weights, about 40 to 45 pounds per dozen pairs ...... \$ 7.95 No. 25-Lace Hame. Two-Loop Plow Hame. Steel over Top. Varnished Backs and Trimmings, Damascus Finish. Wrought Steel Trimmed Regular Horse and Mule Sizes. Weights, about 45 to 50 7.95 pounds per dozen pars ...... No. 100-Farmers' Strap Hame, Loose Bottom Snap. Painted Red, Bronze Top, Japanned Trimmings. Double Weight Hooks, Steel Trimmed. Sizes. 17 to 24 inches. Weights, about 42 to 60 pounds 11.25per dozen pairs..... No. 120-City Dray Hame. Stiff Bottom Loop Painted Red, Bronze Top, Japanned Trimmings. Double Weight Hooks, Wrought Steel Trimmed Sizes, 17 to 23 inches Weights, about 63 to 100 pounds 19.05 per dozen páirs..... 6-Concord Hook Hame. Drop Forged Steel Hook on Back, Swivel and Ring Polished Back, Dam-No. ascus Finish Sizes, 18 to 22 inches Weight, about 50 to 60 pounds per dozen pairs...... 19.80 No. 10—Concord Hook Hame. Same as No. 6, except Heavier .....


### Hames



Dozen pairs.

	61—Concord Hook Hame. <sup>3</sup> <sub>4 × <sup>1</sup>4</sub> -inch Steel Back Damascus Finish, Japanned Trimmings. Drop Forged Steel Concord Hook, 1 <sup>4</sup> s-inch Mortised Top Loops. One size only, to fit 16 to 20-inch Collars Weight, 75 pounds per dozen pairs	
No.	61SL -Same as No 61, except with Lone Star Attachment and Grooved Wood Weight, 80 pounds per dozen pairs	20.10
	166St.—Regular Clip Acorn Top Hame. Painted Red, Japanned Back and Trimmings, X C Ball. Ba	14.23
	166So.—Southern Standard, "4-inch Oval Hame Back Steel, Stiff Bottom Loop, Wrought Steel Hooks and Staples, Malleable Oval Line Rings, Painted Red, Japanned Trimmings, X C Ball—Sizes 18 to 24 inches. Weight, about 50 pounds per dozen pairs	13.05
No.	166LS—Same as No 166So, except with Lone Star Attachment and Grooved Wood. Weight, 65 pounds per dozen pairs	17.1

### Hames



No. 15—Globe Ball Top Hook Hame. Painted Red, Japanned Trimmings, X C Ball. 3t-inch Oval Hame Steel, Double Wrought Steel Hooks, Rings and Staples. Hook on side. Weight, about 60 pounds per dozen pairs. \$15.20


No. 15LS—Same as No. 15, except with Lone Star Attachment 21.00

No. 21—Concord Ball Top Clip Hame. Painted Red with White Stripe, X C Ball, 13s-inch Mortise Top Loops, 7s x 3s-inch Hame Steel, Loose Bottom Loops, 23s-inch Bolt, Swivel, Link and Ring. Sizes 19 to 22 inches. Weight, about 80 pounds per dozen pairs 26.25

No. 90C—Clip Ball Top Hame. Holdback Plate. Painted Red, Japanned Trimmings, X C Ball. Heavy 3s-inch Oval Concave. Convex Steel, 2-inch Staples Sizes 19 to 24 inches. Weights, about 68 to 76 pounds to the dozen pairs. 24.45

No. 90H—Hook Ball Top Hame. Weights, about 70 to 78 pounds per dozen pairs. Otherwise same as No 90C. 25.95


### Mine and Lumber Hames



Beagle Mine Hames.


Low Top.

No. 1- Heavy Varmsh, Black Finish - Furnished with Lantern Hooks; 14 to 22 inches - Weights, 85 to 100 pounds per dozen pairs \$32.00



Beagle Mine and Lumber Hame.

High Top.




Pennsylvania Pattern Miners' Hames.

No. 66—Heavy Varnish, Black Finish With Line Ring, Lantern Hook and Hip Strap

Loops, 14 to 22 inches. Weights, 95 to

120 pounds per dozen pairs..... \$32.00



Pennsylvania Pattern Mine and Lumber Hame.

Dozen pairs.

### Hame Fasteners



### The "Success" Hame Fasteners.

Stronger and more easily adjusted than any leather hame strap or other metallic fastener. Will not shrink or swell in dry or wet weather—Easily put on; cannot become detached from hames or get out of working order. Indestructible; will last as long as the hames. Hook box end into the off hame, closing down hook so that the hame fastener cannot become detached.

The	" Success "	Fastener.	Bronzed	Steel\$4	1.50

#### The "Dodson" Hame Chain.

The cut represents this chain in its latest improved form. The links are strengthened and stiffened by corrugations, which also add much to the fine appearance of the chain. The body part hooks into the hame loop and is securely held there by the thumb piece, itself held by a first-class spring which, by its position, is secure from accident. This feature permits the chain to be transferred from one pair of hames to another, and in much less time than a hame strap can be. The end of the chain can be snapped up out of the way if desired. Are all steel, strong, secure and light. They work easily, never yield nor slip. They will outwear a dozen leather hame straps, and they can be hitched and unhitched in much less time. They do away with every objection that applies to other hame chains. They fit all work hames and all sizes of collars.



The	" Dodson " Fa	istener.	Bright Steel	Per dozen \$4.00
-				

#### Knotted Hame Strings.

71 .	Per dozen.			Per dozen.
Harness Leather.	31 x 36 inches       \$1.90         38 x 36       2.10	Raw Hide.	34 x 36 mches 7s x 36 "	\$1.80



### Leather Hame Straps.

				Per dozen.			Per dozen.
Harness	Leather.	34-inch.	No. 2.	Riveted \$1.80	Raw Hide	11/4-inch	Double and Stitched 85 00
		- 8	NO 2		11	114 "	" " 5.50
		1 "	No. 1	Sewed 2 70		1.7-1	
4.4	* *	117 "	No. 1.	3.00			
	**	11; "	No. 1.	3.60			








Lone Star Hook.

#### Hame Repair Hooks.

Double Donald II 1 D. D. D. D. D. D. V.	Dozen pairs.
Double Repair Hooks. Polished For Regular Hames	
Lone Star Repair Hooks. Polished. For Lone Star Attachment	2 50
0 D D D D D D D D D D D D D D D D D D D	

One Dozen Pairs in a Box.


# Hame Clips and Staples






For all Common Hames. X C Plate.... Two Hole Hame Clip. Three " X C Plate.....

Two Dozen in a Box.






Clip Staples. Per gross. 3s-inch Common, with Burrs. X C Plate...... \$5.75 5/16 x 11/2 and 11/4-inch. X C Plate..... \$7.20 746 "

" " ...... 7.20  $\frac{3}{5} \times 1^{3}$ , 2 and 2½-inch. " " ...... 7.20 Two Dozen in a Box.

Three Dozen in a Box.

Hame Rivets	•			
Length, inches		$\frac{7/8}{21^{1/2}}$	3 <u>4</u> . 22	5/ <sub>8</sub> . 23

### Collar Pads





Brown and white drill, composite stuffing, four rows of quilting, three hooks. Made in lengths 16 to 25 inches.



"Red Edge" Collar Pad.

Old gold drill, composite stuffing, five rows quilting, four hooks. A strip of red felt (not pinked) inserted and extending around the outer edge gives the pad a handsome and finished appearance.




Felt Collar Pad.

For heavy team collars. Only the best grade of felt is used in the manufacture of these pads. Good smooth stock, strong colors, four hooks.


											1 6	dozen.
No. 1621	V/12—" Rex.	' Brown	n and W	/hite. 1	2 inches	wide.	Lengths,	16	to 2	5 inch	œs	\$5.00
No. 1621	V/14— "	1.6	4.6	" 1	4 ''	16	11	16	" 2	!5 "		6.00
No. 631	√/12—" Red	Edge."	Old Go	dd. 1	2 "	4.4	1.6	16	F ( P.	25 "	,,	5.50
No. 631	√√14— "	ii -		' 1	4 ''	11	1.6	16	** 6	25 ''		6.50
No. C	1/11 "Tapa	tco" Fe	lt Pad.	Orang	e Color	. 11 ir	iches wide	. L	engt	hs, 16	to 25 inches	9,00

# Saddle Pads and Housings



#### Style K Saddle Pads.


Face of pad is fawn felt, pinked felt edges, composite stuffing, space in center is left open or unstuffed; it possesses all the merits of a felt saddle housing and a stuffed pad combined, the thickness is sufficient to guarantee against any injury by the saddle, while the stuffing used insures complete absorption of the perspiration



Style W Saddle Pads.

Made of old gold drill, excellent quality, composite stuffing, high-class workmanship, space in center is left open or unstuffed; briefly summed up, they are first-class

Style K, No. 12 -Size, 26 x 34 inches Heavy Blue Drill Back.. . . . ... .. ...... \$9 60 Style W, No. 2- " 26 x 32 " Old Gold Drill....... . 1.50







No. 118.

Silver King Gray Graduated Felt, Citizens' size...... \$18.00 No. 118-"16-inch Felt. Blue, Green, Orange and Red. Assorted Figured Boot Web Trimming. Stars in

One Dozen in a Bundle.



Per dozen, No. A102—Cart Saddle Pad. White Drill 18 x 21 inches Open Center. .....\$3.50

\$1,35

1.80

2 25

2.70

2,90


3.15

3.75


Each.

\$3.75

### Horse Blankets



Geneva.



### All-Over Blankets.

Leather Surcingle Strap. 76 inches.....

### Open Fronts. Two Straps.

No. 15-Heavy Bagging. Full Kersey Lined Cable Front.

Deather Editeristic Court	
No. 275—Brown Duck. Red Trimmed Leather Surcingle Strap. 76 inches	4,35
No. 100 - Fawn Stable Blankets. Red Trimmed. 76 inches	5.55
Square Blankets.	
Red Horn. Wine Wool Ground. Red, Navy Blue and White. Wide Headings. 76 x 80 inches	2.40
Gypsy. Grey Ground, Plum, Red, White, Black Wide Body Stripes and Headings. 80 x 84 inches	2 70

Reddish Mix and Seal Brown Ground. Narrow Red and

Blue Stripes. Red, Green, White and Black Headings.

80 x 84 inches ..... Cyclone. Fancy Plaid Iron Grey Ground, Seal Brown, White, Red and Green Fancy Drop-Box Plaid and 3.30 Headings. 76 x 80 inches ..... Highlander. Red and Black Fancy Checker-Board. 76 x 80 inches ..... 3 45 Kennebec. Double Woven Drop-Box Plaids Assorted Fancy Colors 76 x 80 inches.

Savoy. Fancy Drop-Box, Fine Wool Plaids. Assorted Colors 76 x 80 inches.


Astor Double Woven, Heavy Weight Plaid Green, Black and White Plaid 84 x 90 inches. 4.35 6 90

# Waterproof Covers

•	Each
No. 2443-To Head. Heavy Black Fabric, Hame and Trace Leathers	×4 50 r> - 5.25
No. 50X-To Head. Heavy Brown Waterproof Duck. Hame Leathers, Shaft Openings and Trace Leather	
No. 40—To Head. Extra Heavy Waterproof White Duck. Hame Leathers, Shaft Openings and Tra	CC
No. 2444—To Head. Heavy Black Fabric, Hame and Trace Leathers	6.00
No. 60—To Breast. Superfine White. Hame Leathers, Shaft Openings and Trace Leathers	., 7.50
No. 75—To Head or to Breast. Extra Heavy Special Brown Waterproof Duck, Rubber Lined Back, Har Leathers, Shaft Openings and Trace Leathers.	He.

We are prepared to take care of all orders for Plush Lap Robes in plain and fancy patterns, Fur Robes, Linen Dusters, Fly Nets, Cooling Blankets, etc. Correspondence solicited and best prices guaranteed

### Back Bands and Webbing



# Back Bands without Hooks. Heavy Cotton Webbing, Leather Bound Ends.

			•											Pe	r dozen.
No.	1	Webbing.	$-31\frac{7}{2}$	inches	wide,	39	inches	long			,		١.		\$2.25
No.	1		4	**	**	39	**	h +-		 		 			2,60
No.	2	**	$31_{2}$	**	**	39	**				 	 			2.25
No.	2	**	4	**	* 1	39		* *	 		 	 			2.60

# Back Band Hooks Only. Japanned.

				5 1			Doze	n pairs.
" Daisy " H	look.	For	31 <sub>2</sub> -inch	Back	Bands			
			1 ***		h >		 	. 55


### Complete Back Bands with Hooks.


		COIL	pict	_	Daca Dai	icio	AA LCLI T	10011			
			•							L'er	dozen.
" Daisy "	Hooks,	with	No.	1	Webbing	$3^{1}_{2}$	inches	wide	·		\$2.75
1.		4.5	No.	1	* *	4		* 6			-3.10
4.6	6.6	14	No.	2	**	$31_{2}$		h r			3.75
1.4	4.4	+ 4	No.	2	**	4	**	3-5			3.10

# Back Band Webbing. White Cotton. Put Up in Rolls of 100 Lineal Feet. Sold Only in Full Rolls.

					Per 100 feet.
No.	$1-3^{1}2$	inches	wide	 	\$6.00
No.	14	* *		 	6.50
No.	<b>2</b> 3 1½	+ 4	**	 	6.00
No	9 1	* *			e - o

One Roll in Package





#### Leather Back Bands.

Plain flat leather, creased. Leather trace loops, sewed and riveted on. Turnback loop in center, riveted on. 40 inches long

on. 40 inches lo	11년			
Width, inches		 3	$-3^{1}_{2}$	4
Per dozen		 \$15.50	17.50	20.00



#### Leather Back Bands.

Plain flat leather, creased. Leather trace loops, with buckle and billet sewed on, with turnback loop in center. 39 inches long.


Width, inches	3	31/2	4
No. 30—Plain, per dozen	\$16.00	18.00	20,00
No. 32Felt Lined, per dozen	12.50	14.00	15.50




#### "Kraker" Adjustable Back Bands.

The total length is 42 inches, but can be adjusted readily to 39 and 36 inches. Width, 5 inches. Padded entire length with four rows of quilting. The adjustable hook is made of malleable iron, securely fastened to the band by means of four rivets. Leather washers are used underneath the rivets as a further precaution against their being loosened on account of any unusual strain.

# Team and Drovers' Whips



# Whip Lashes




1	lexas Lasnes.	Georgia Ox Lasiles.				
California	Style. Rawhide Leather.	California Style. Heavy Swell at Loop. Rawhide Leather.				
No. 5119—Four Plait	6 feet long \$ 7 00	Per dozen.				
44	7 " " S.00	No. 5143 -Four Plant 5 feet long \$7.00				
66 64	8 " " 9.50	6 " " 5.00				
46 64	10 " " 11.00	" " 7 " " 9.00				

# Buggy Whips

DUSTER	
No 10-Waterproof Java. Black, Smooth Finish Round End Loop Snap. 6 feet	Per doz.
THE O KWHIP	
No. 15—O. K. Java. Assorted Colors Two Combination Buttons. Loop Snap. 6 feet	Per doz. \$1/80
P GIANT CRACKER ?	
No. 25—Prime Java Stock. Loaded. Black, Wine and Green Colors. Fine Finish. Round End. Load Two Combination Buttons Philadelphia Suap. 6 feet	
JAPANES I	
No. 35—Solid Japanese Reed. Black. Fine Finish. Loaded Handle. Assorted Color Handles. Japa Cap. Two Combination Buttons. Philadelphia Snap 6 feet	Per doz. inned \$4.20
RAWHIDE P	
No. 50—Raw Hide. From Snap Through Cap—Loaded—Black—Japanned Cap. Two Combination But Philadelphia Snap. 6 feet	
WANTOE THE TOPOLOGY OF THE TOP	
No. 75—Extra Quality Raw Hide. From Snap Through Cap. Black. Fine Finish. Japanned Cap. Combination Buttons Rubber Lined from Snap to Cap. Hand Made English Snap. 6 feet	
WULCANTIE  WAS PATCH  TO BY A COLUMN TO THE CORES  WHITE	

# Drop Top Whips




# The "Wheeler" Whip Assortments

These assortments consist of the most popular styles of Whips and will sell readily and yield a good profit to the retailer. With one of the Whip Racks shown below, they will make an attractive addition to your store. Write for net prices.

		57-W	nip .	Asso	rtmei	nt.						45-Wh	ip	Asso	rtmer	ıt.		
No.	10—Twelve	Whip	- at	10	cents	eacl	1	 \$1.20	No.	10	-Twelve	Whips	at	10	cents	each		\$1.20
	15—Twelve		• •	1.5		**		1.80	No.	. 15	Twelve	**	4.	15	**			1.80
No.	25—Six	• •		25	••	**		 1.50	No	- 25	Six	**	••	25		**		
No.	35—Six		**	35	4 =	**		2.10	No.	35	-Six		**					
No.	50—Six	**	**	50		**		3.00	No.	. 50	-Three		4.5	.,,,,	**			
No.	75—Six		+ 1	7.5		**		 4.50	No.	. 75	-Three	4.4	6 +	7.5	* *			
No.	100—Three	**		1.00		• •		 3.00	No.	100	Three		* *	1.00		**		3.00
No.	774 -Two	* *	**	25	**	11		 . 50									-	
No.	748 Two	**		25	••	• •		 . 50			Forty-f	ive Wh	ips.	whi	ch ret	tails for	9	313.35
No.	$741 \cdot - Two$	**	••	50	**	**		1 00										

Fifty-seven Whips, which retails for .... \$19.10

# Whip Racks






# Curry Combs



	Fer de	Σ,
No. 35 —6 Bars.	All Steel. Steel Loop Handle. Lacquered	56
No. 066 —6 Bars.	Steel. Open Back Oval Face. Lacquered. Enameled Handle, Nickeled Ferrule 1	00
No. 30 <sup>1</sup> / <sub>2</sub> —6 Bars,	" Lacquered, Carmine Handle, Steel Ferrule. With Mane Comb	50


















# Horse Brushes



	Per doz.
No. 3- Army Pattern 10 Rows, Gray Tampico Center, Black Outside Row, Flat Face, Emboss Leatherette Back, Patent Leather Strap Strap inches	Ф 4.00
No. 5 Oval Pattern. 11 Rows, Black Tampico, Oval Face, Embossed Black Leatherette Back, E	mbossed 6.30
Leather Strap. 9 inches	1 Craon
No. 66 -Oval Pattern 9 Rows, Gray Tampico Center, White Outside Row, Flat Face, Embosse	3.93
Leatherette Back, Enameled Leather Strap. 9 inches	ale Fair
No. 213—Oval Pattern 12 Rows, Red Mixed Tampico, Oval Face, Plain Red Enaméled Leather B:	8 25
Leather Strap. 9 inches	
No. 50 - Oval Pattern Extra Quality. 15 Rows, White Imitation Bristles, Oval Face, Embos	12.75
Leather Back, Fair Leather Strap. 9 inches	d Black
No. 67 -Oval Pattern 17 Rows, Black bristle Casing, Hunarion Center, Oval Face, Embosses	9 00
Leather Back, Harness Leather Strap 9 inches.	Leather
No. 45 - Oval Pattern 15 Rows, All Bristles, Gray and Black Mixed, Oval Face, Embossed Orange	18 00
Back, Orange Leather Strap 9 inches	er Back
No. 226 - Army Brush. Warranted 15 Rows, All Black Bristles, Flat Face, Embossed Sole Leath	27 00
Fair Leather Strap 9 inches	




								reruoz.
Nο	0948—T	landy	Horse	Brush.	Palmetto Fiber	1015 inches long.	Polished Back	. \$3.35
	2541—		* *	**	-Imitation Palmetto	10		., 3.2∪
	257-	43		4.0	Rice Root	1012 " "	Varnished "	6 25



Perd No 381-Jockey Horse Brush. Palmetto Fiber...

# Cotton and Wool Cards








No.	28.			I 1	er
					\$

No. 9—Cotton Card.	9"4 x 4% inches
No. 83—Wool Card.	
Mr. 00 Mining Carde	No 98 Wire 481 v 482 inches

### Bridle Bits





No. 67—Wrought Ring Bit. Wrought Steel Twisted Mouth.  $2^{8}_{1}$ -inch Rings. X C Plate. Jointed or Stiff . . . . . . . . . 81–20






Per doz


### Bridle Bits




No. 732—Wrought Port Bits. X C Plate, 5-inch Cheeks, 1<sup>1</sup>s-inch Rings, 1-inch Check Loops, 4<sup>1</sup>2-inch Mouth, <sup>3</sup>1-inch Port... \$7.50







No. 636—Malleable Port Bit X C Plate, 6½2-inch Cheeks, 1½-inch Cheek Loops, 1½-inch Wrought Line Rings, 4½-inch Mouth, ½-inch Low Port. \$2.00





No. 600—Malleable Mule Port Bit. Light Pattern, Japanned, 1-inch Line Loops, 5<sup>1</sup>2-inch Cheeks, 4<sup>1</sup>2-inch Mouth, 1-inch Port . . . 1.38

# Riding Spurs



No. 661—Cuban Eagle. X C Plate 114-inch Malleable Rowell " Nickel Plated. 118-inch. " "

Dozen pairs. ... \$2,00 4 00



Dozen pairs. No. 619-Malleable Iron. X C Plate. 1-inch Heel.



Dozen pairs. ō√-ınclı



Dozen pairs. No. 679—Spring Steel. X C Plate S-inch Rowel \$2.00



Dozen pairs. No. 611-Solid Brass. Polished 113-inch Blued Rowel .....



No. 610—Solid Brass. Polished "1-inch Blued No. 693—Eureka. Spring Steel. Fine Blued 112-Rowel



Dozen pairs. \$3 60 | inch Rowel

Half Dozen Pairs in a Box









Dozen pairs 

### Harness Hooks






Cast Iron.	Drilled	Holes.

Heavy Cast Iron. Drilled Holes.

Cast Iron.	i er doz.	,		Pr. doz.
No. 161—5 inches. Japanr No. 165—6 <sup>1</sup> 2 " " No. 166—8 " "	ed \$0.85 1.10 1.30	No. 170 - 5	Japanned	

One Dozen in a Box.

# Hitching Rings, Hooks and Weights





No.	17\\1	rought	Ring	and	Screw.	Galv	amized.	7.0
No.	10—	**		4.1	Hook.	Ta	Drive.	1
No.	12-	4.4	* 1			* *	4 +	(

2<sup>1</sup>2-mch Ring Plain Iron, 5<sup>3</sup>4-mch Spike... Galvanized, 5<sup>2</sup>1 " " ....

One Dozen in a Box.



#### Hitching Weights.

Nos. 10 and 12. Per doz.

Per Suz

No. 17	9-	Weight	t. 10	pounds.	Japann	ed	1)	
No. 18	0		1.5	4.6	++			 9.50

# Wagon Umbrellas



This Umbrella spreads 70 inches and has eight heavy detachable steel ribs, 40 inches in length. The top notcher is especially designed to cover the hooks and protect the cover. Ribs and stretcher made of special tempered steel Removable cover of heavy drill, which is more serviceable than duck. The metal end socket, 1½ inches in length, is clinched to rawhide and then sewed on the cover. The pole, 1½ inches in diameter, made of extra selected hardwood, oil finished. All metal parts are japanned.

Heavy Wagon Umbrellas. 8 Steel Ribs. Extra Heavy Drill. Complete, with All Fixtures ...... \$30 00

# Frank Miller's Preparations



#### Miller's Harness Oil.

This Oil has earned for itself the reputation it has so long maintained, being superior to anything produced for the purpose—softening and preserving the leather.

							J	er doz.
No.	<b>0</b> —1n	Half Pint	Cans.	One	dozen	111 - 11	box	\$3,00
No.	1 "	Pint	* *		4.6	**		6.00
No.	2— ''	Quart	* *		4.5	4.4		9.50



### Miller's Harness Dressing.

A superior article for general use. Unequaled for use in livery, express and private stables. An indispensable article wherever harness is in use. Gives a beautiful finish that will not peel, crack or smut, and to which dust will not stick.

						Per doz.
In Pint Cans.	One	dozen	in a	box	 	. \$5.50
" Quart "	* *	+ 1	4.4		 	. 9.00



### I. X. L. Harness Oil.

A cheaper grade of Harness Oil than the Frank Miller Oil. It is superior to any article of this class in the market.

							J	l'er doz.
No.	0-In	Half Pint	Cans.	One	dozen	in a	box	\$3,00
No.	1 "	Pint	4.4	* *	+ 6	11	**	4 50
No.	2 "	Quart	* *	+ 6	**			7,00



#### Miller's Axle Oil.


Superior to easter oil, lasts longer and will not gum. Will not run from the boxes, if properly used. Not affected by climatic changes.

Per doz.

ln	Pint Cans.	Опе	dozen	in a	box	 \$4.50
* *	Quart "		* 1	11		 9.00

### Bickmore Gall Cure







The manufacturers guarantee every box of Gall Cure. Money refunded if it fails to cure Collar or Saddle Galls upon horses, under the harness, while the horse is worked; Chafes, Bruises, Cuts, Mud Scalds, Scratches, Grease Heel, Rope Burn, or any minor wound or sore upon horses and cattle. It gives immediate relief and quick cure for cracked, sore teats in cows, and for mange in dogs.



# Jacks and Wrenches

### STEEL BUGGY, CARRIAGE AND WAGON JACKS.

This is a powerful Jack, operated by pinion and lever, and is so constructed that the greatest leverage is obtained. When the load is lifted and the handle is down, the jack becomes locked and holds load in position until lever is raised. Three sizes.


									L 1 (1.74 ) 11.
No. 0-Buggy Size.	Capacity,	500	pounds.	Weight	about	6.1	ound	S	 \$12 00
No. 1—Carriage "	**		**	4.6					16.00
No. 2—Wagon "	6.5	1500	**	4.6	* 4	1.5			24 00




#### CARRIAGE WRENCHES

CARRIAGE WRENCHES											Per	r dozen.	
No.	7320C—	Malleable	Wrenches.	For	1 -inch	Λxle	Nuts.	12, 58,	34-mch	openings	 		\$1.50
Nο	7320F-	44	44	4.0	185 "	4+	4.1	$1_2, 5_8, 3$	3 <sub>4</sub>	••	 		1.50

# Links, Rings and Swivels







### PLAIN REPAIR LINKS.

										I	e e	r gross.
1 4 -	ınch	Iron								_		\$2.25
916	**		,									3.30
8,	* *	4.4										4.50
1.	1.1	**			,			,				8.25
5		* *										12.75

#### END LAP LINKS.

					l'e	er gress.
516	inch	Iron.	112-	inch	inside	\$2,70
25	4.4	* *	4.)	* *	5.4	4.50
1.2	4.1	**	$2^{1}2$	* *	8.4	9,00
5	4.4	4.4	$21_{2}$	**	**	15.00
54	4.1	4.6	3	* *	**	16.50
$B_{\frac{1}{4}}$	4.4	4.4	3	* *	4.4	21.75
_			.,			

#### PLAIN LAP RINGS.

					Per gross.
1 <sub>2</sub> -inch	Iron	$-21_{2}$	-inch	diam	\$12,60
5 , 6	* 1	3	**		15 (0)



#### KEYSTONE CONNECTING LINKS.

The Keystone Connecting Link for connecting new or repairing broken chains of any kind is composed of two corresponding halves centrally pivoted on the same axis. The inner flat face of each is pivoted with a projecting lug and recess, so that when closed and in use they mutually interlock, and by abutting against each other, lateral displacement of the two halves, and consequent spreading or parting is rendered impossible. The Keystone Link is drop forged from an especially tough grade of bar steel.


Size, inches	1 .	57.	3 :	7	1.0	5 ,	3 4	1
Size, inches	1.4	716	7.8	116	2	. 0	*	
Per dozen 8	2.00	2.25	2.50	3,25	4.00	7.50	10.00	15 00

#### MALLEABLE CHAIN SWIVELS.

Length, inches		2 <sup>3</sup> .4	3	41/4	4 <sup>3</sup> / <sub>4</sub>	5	
Size Eyes, inches			*/~	1.2			
Size Wire, inches	1,4	$\frac{5}{16}$	$5_{16}$	$\frac{3}{8}$	$\tau_{16}$	916	
Per pound			h h r				100 6



### Trace Chains



### Straight Link Trace Chains.

Bigion Dundard.															
															Per pair. r \$0 92
															1.07
															1,23
7 -14	4-0 7	h h		12	1.4	• •	1.1	$\frac{5}{16}$		**	$11^{1}_{2}$	* *	4.4	+ 4	2.70



#### Butt or Half Trace Chains.

#### Western Pattern.

	W CS(CIII FACCCIII.															
												Per pair.				
<b>30- 8-1</b> —30 ii	nches	long.	7 I	Links	to	foot.	932-	inch	Wire.	$38^{1}_{2}$	$\mathrm{lbs}$	per	dozen	pairs		
<b>30-10-1</b> —30									* *							
<b>30- 8-2</b> —30	**		4	4.6	* *	4.4	1 4	**	**	50	**		4.6	* *		
<b>36- 8-2</b> —36			7	* *	4.4		1 4	4.4	**	35			**	**		
<b>30-10-2</b> —30	• •		9	**	4.4	4.6	1,4	* *	**	30	**		**			
<b>36-10-2</b> —36	**	4.4	9	4.4	* *	4.5	1 '4	* *	**	36				* *		




### Buckeye Stage Chains.

#### Western Pattern.

western Pattern.								
<b>3</b> ½- <b>10-1</b> —3½ feet long	9 Links to foot 932-inch W	ire. 61 lbs. per dozen pairs						
<b>3</b> <sup>1</sup> / <sub>2</sub> - <b>12-1</b> —3 <sup>1</sup> / <sub>2</sub> "	11 " " " 932 "	6. 6						

### Cart Back Chains






Double. Twisted Link 412 feet long. 516-inch Wire. 63 lbs. per dozen......


Per doz.

Wagon Chains
Wagon Stay Chains. Self-Colored. 26 inches long. 516-inch Wire. Weight, 30 pounds per dozen \$0.50 60
Wagon Tongue Chains. Self-Colored. 36 inches long. Mo-inch Wire. Weight, 32 pounds per dozen. \$0.70
Wagon Lock Chains. Self-Colored 42 inches long 5/16-inch Wire. Weight, 4 pounds each. \$5.20
Each.
Wagon Stretcher Chains. Self-Colored. 42 inches long. 3x-inch Wire. Weight. 9 pounds each
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Per doz.  Single Presst Chains Prieds 26 5 2 he inch Wire Weight 30 pounds per dozen. \$5.00
Single Breast Chains. Bright 26-8-2 4-inch Wire Weight, 30 pounds per dozen. \$5.00
Double Breast Chains. Bright 26-10-2. 1/4-inch Wire. Weight, 42 pounds per dozen \$9.00
Sliding Breast Chains. Bright 26-8-2 14-inch Wire. Weight, 31 pounds per dozen \$9.00

### Halter Chains








Vincera	Pattern	Haltan	Chan are

American.	$4^{1}_{2}$	feet	long.	Per	dozei	n	\$1 65	1-65	1.70	1.75	1.85	2.05	2.30	2.65
Niagara.	41.2	* *	* *	* *	1.4		1.65	1.65	1.70	1.75	1.85	2.05	2.30	2.65
7.	6	* *	* *	4.6	4.6		2.10	2 15	2.25	2.35	2 50	2.70	3.00	3,35
Half Dozen in a Box.														

# Cow Ties



Niagara	Ohio	Pattern.
---------	------	----------

No. 00 -4 feet 10 inches. 14 pounds to dozen.... \$3.25

No. 000-5




lo.	00-112	feet	19	pounds	tο	do
			~ .			

Per doz. . \$3.60 4 50

### Tie-Out Chains

Per doz.




#### Niagara Tie-Out or Picket Chains.

Regular length 30 feet. Swivel Snap on one end, 134-inch Ring on the other end and Swivel in center Picket Chains are wrapped singly in strong paper packages; 6 packages in a bundle, 7 to 10 dozen to a barrel.

						Per doz.
Niagara Patter	n. 30 feet long.	No. 1 Wire.	Weight, about 29	s pounds per	dozen	\$26.00
8.6 6.4	30 "	No. 0 "		3 "	44	30.00

# Single and Doubletrees



Per doz.

No. 1—Plow Singletree. Varnished. Length, 26 inches. Size of wood, 23 x 13 in Wt., 34 lbs. per doz. Center Clip 16 inch. End Clips 25 inch, Hooks 14 inch.

\$2.50

No. 2—Plow Singletree. Painted Red. Length, 26 inches Center Clip ½ inch, End Clips 716 inch, Hooks 516 inch.

Size of wood, 23s x 134 in. Wt., 38 lbs. per doz . . . 3 00




No. 13—Plow Doubletree. Varnished Length, 36 inches. Size of wood, 234 x 2 in. Wt., 68 lbs. per doz. \$4.00 Center Clip 916 inch, Center Hook 716 inch, End Clips 716 inch.

No. 14—Plow Doubletree. Painted Red. Length, 36 inches. Center Clip 5, inch. Center Hook 12 inch. End Clips 14 inch.

Size of wood,  $2^{3}$ <sub>1</sub> x 2 in. Wt., 75 lbs. per doz . 5.00



No. 912—Wagon or Contractors' Singletree. Painted Red. Heavy Malleable Strap Ends. Wt., 90 lbs. per doz \$7.00 Center Clip 5k inch, Ring 12 inch, Hooks 3k inch, size of Wood 234 x 2 x 30 inches.



Per doz.


No. 90A—Wagon Singletree. Varnished. Length, 36 inches. Size of wood, 25 x 2 in Center Clip his inch, Ring his inch, Ferrule, 13 inch, Hooks his inch.
 No. 90 —Wagon Singletree. Varnished. Length, 36 inches. Size of wood, 24 x 2 in. Wt., 84 lbs. per doz Center Clip his inch, Ring his inch, Ferrule 11 inch, Hooks his inch.



Per doz.


No. 100-Wagon Singletree. Full Strap Back. Varnished. 36 inches. Wood, 284 x 2 in. Wt., 90 lbs. per doz Center Clip 58 inch, Ring 1/2 inch, Full Strap 1/2 inch, Hooks 3/8 inch.

# Heider Single and Doubletrees



Per crate

Two-Horse Plow Doubletree Set. Doubletree, 134 x 358 x 42 inches, with Steel Clevis and Wood Riveted at each end; two Singletrees, 235 x 30 inches, with Welded Center Clips with Rings, Malleable Ferrules with Steel Hooks, Hickory, Painted, Striped and Varnished. Weight, 15 pounds per set ........... \$1.70



### Six Complete Wagon Sets Crated.

A complete set consists of the following: One Doubletree, 2 x 4 x 48 long, with wrought plates, lockpin clevis clip and stay chain ring and wood riveted at each end. Two Singletrees, 25% x 36, with welded center clips with ring, mallcable ferrules with steel hook. One Neckyoke, 2% x 40, with center irons and malleable ferrules with steel ring. Center clip on Singletrees are put on hot. Hickory wood only. Weight, per set, 30 pounds.


Cut shows six sets of Hickory Painted Wagon Sets, crated. The crate is built to fully protect them in shipping from being marked or scratched

Six Complete Sets, in Crate, Painted, Striped and Varnished. Weight, 225 lbs. per crate.... \$33.00



#### Luse Safety Neckyokes.

This Neckyoke is simple and sure. It is strong and cannot get off the pole until the yoke is turned half way over. It cannot hammer the pole, therefore it is noiseless The band of the yoke is of two pieces of malleable iron, which is firmly riveted on each side of the swivel bolt The safety device can be readily understood from the cut. The pole cannot drop out when one of these Neckyokes is used and makes an absolute safety



... \$16.00

# Doubletrees and Neckyokes



No. 12-Wagon Doubletree. Malleable Clevises Wood, 2 x 4 x 48 inches Weight, 160 pounds per dozen.




Per doz. No. 45-Wagon Neckyoke. Varnished Size of Wood, 25 x 40 inches broned complete...

Single and Doubletree Irons



Nos. 73 and  $75_{-2}$ .





Wagon Singletree Sets. One K-inch Center Clip with 918-inch Ring Two 718-inch End Clips, with 3s-inch

#### Neckyoke Irons





	T CI.	102.
No. 78 -Neckyoke Center Irons. Complete with 7/16-inch Eyes, 3s-inch Links, 3 x 9/16-inch Ring	\$3	00
No. 803 .— Neckyoke Ferrule and Ring 15 -inch Ferrule 3 x 35-inch Ring.	1	. 30

### Anti-Rattlers








Dor doz

Per doz.

								1 61	dor.
								With Bolt Holder \$	
No. 2—		**	• •	**	* *	h 4	3× · · ·	Without Bolt Holder	1.25
No. 4—	**	**	1.6	* *	* *		11/5 "	44 44 44 44 44 44 44 44 44 44 44 44 44	1.50





A practical Quick-Shift and Anti-Rattler combined. Simple and low in price. Attaches to any buggy, old or new, working in common shaft eye and shackle. Shafts or pole can be attached or detached, or change made, in an instant without tools of any kind. Is well made throughout of best material. Spring is high grade steel, oil-tempered, and every shifter is thoroughly tested. Has no rubber, leather or brass bushing to wear out in a short time, and is guaranteed to give good service.



### Axle Washers



Solid	Ayle	Washers.
JULIU	21210	vv asiicis.


							Per box.
For 75-	inch	Axle.	Five	Sets	in a	Box	\$0.96
" 15/16	h 4		* 1	4.4	4.1		1.12
" 1	4.1	* *	1.5	4.4	1.6	6.6	1 18
" 11/4	1.6	4.4	4.4	4.4	6.6		1.28
" 11/4	14	11	* *	* *	* *	**	1.44
						st oak-tann	

Coil Axle Washers.

								F	er box.
Ts-	meh.	Five	Coils	(100	Washers!	in a	$B_{OX}$		\$0.30
1	* *	**	**	**			1.5		. 35
$1^{1.5}$	* *	4.4	**	14		4.5	4.5		. 40
$1^{1}_{1}$	* *		1.6	1.1		* *	* *		. 45
					£11 . £				

Made of best oak stock, full of the life and elasticity of the original leather, which gives the most satisfactory service.

# Rein Supporters



and cut from whole stock




A simple, practical, common-sense device that prevents accidents, saves annoyance, adds to pleasure of driving. Reins never get under horse's tail. Their simplicity, practical working, ornamental appearance, little cost, make them appeal strongly to the driving public. Quarter dozen pairs on display card.


			T. ILMBERT
ead's	Rein	Supporters.	Imitation Rubb Nickel Plated.

•																
Rubber.	To	attach	to	Breeching	 	 \$3.	.00	į								
ted.															00	ì

### Horse Clippers




A strong, well-made and finished medium price Clipper. Entirely taken apart by removal of tension bolt. All metal parts nicely polished. Black enameled handles and nickel plated ferrules. A satisfactory, neat and taking article. Weight, about 1½ pounds.



This Clipper is made from the best material throughout, is finely polished and nickel plated, has nickeled ferrules and oval turned hardwood handles finished in imitation of vulcanized rubber

The anti-friction or ball bearing feature is so constructed that the balls are securely held in the cap by the spring piece, thus avoiding any unnecessary loose parts to be mislaid when the Clipper is taken apart.



This is a very strong, substantial and satisfactory article, finely finished and nickel plated and recommended as the most satisfactory Ball Bearing Fetlock Clipper ever brought out

The anti-friction or ball bearing feature is so constructed that the balls are securely held in the cap, thus avoiding any unnecessary loose parts to be mislaid when the Clipper is taken apart. Has strong outside spring of best music spring wire. Plates are carefully ground and have strong coarse cutting teeth.

No. 100-Ball Bearing Fetlock Clipper. Fine Finish and Nickel Plated 61s inches long 17s-inch Plate... \$2.50

### Mule Shears



Per doz. \$4.30

No. 1090—Hilger Mule Shears. Half Polished. Curved Blades. Full Length, 9 inches.

Half Dozen in a Box.



### Horse Clipping Machines

### Enclosed Type Clipping Machine.

Ball Bearing.

A new Clipping Machine, sturdy, compact, perfect in every detail of material and workmanship, and at a price within the reach of every farmer and horseman in the land.

Cast iron tripod with 1-inch tubular upright, japanned. All gears are cut from solid steel, made file hard and enclosed in dust-proof metal box. They run in oil and operate practically without friction or wear. Crank handle runs slowly, but the machine works rapidly. The steel flexible shaft is canvas covered.

Extra Knives, for Horse Clipping Machines, \$2,50.

No. 1—Horse Clipper.	Enclosed Type. Crank Handle. Complete with Knife and Handle, and 6 feet of Weight, about 36 pounds	_
Sheep Shearing	g Attachment. Consisting of Solid Jointed Shearing Shaft, Shearing Handle, four	
	r Cutters	



### The 20th Century Horse Clipping Machine.

It turns easily and works fast, and anybody can operate it. It is suspended from the ceiling by a rope, which enables the operator to reach every part of a horse with ease. Gear is 12-inch, positive drive. Flexible shaft is steel. Knives are highest grade, same as furnished on other machines. No stable is too small to profit from the use of the 20th Century Clipper.

The 20th Century. To suspend from ceiling by rope. 12-inch Gear. Complete with Flexible Shaft........ \$5.00



#### Electric Clipping Machine.

The motors of these machines are extra well made and are furnished complete so that they can be attached to electric incandescent light socket. The flexible shaft is 6½ feet long, and connects directly with the armature shaft of the motor. This eliminates short bends in the shaft near the point of connection, and gives the utmost freedom of motion. The motors are perfectly made, and are self-oiling. Any one can make the connection and the machine can be started or stopped by merely turning the ordinary electric switch, the same as with an incandescent lamp.

Absolutely noiseless. Has a self-oiling device, can be started and stopped instantly, requiring but little current, cannot be injured by careless handling; can be hung out of harm's way when not in use. No electrician is required to install same, connection being made in identically the same manner as screwing in an incandescent lamp globe. Each machine is furnished with automatic starting box.

When ordering, be sure and specify voltage if direct current. If alternating current, specify voltage, number of alternations and periodicity.

Electric Clipping Machine. 110 Voltage Direct Current. Weight, boxed, 80 pounds. \$40.00

" " 80 " 60.00

Alternating Current. Weight, boxed, 80 pounds. \$5.00

# Rivets and Burrs

No. 7—Uniform Lengths: \$\frac{1}{4}\$, \$\frac{3}{8}\$, \$\frac{1}{2}\$, \$\frac{5}{8}\$, \$\frac{1}{4}\$, \$\frac{1}{8}\$, \$\frac{1}{4}\$ in. \$0.\$ Assorted Lengths: \$\frac{3}{8}\$, \$\frac{1}{2}\$, \$\frac{5}{8}\$, and \$\frac{3}{4}\$ in. \$\frac{1}{12}\$ in. \$	Copper Rivets and Burrs.
No. 7—Uniform Lengths: \(^14\), \(^14\), \(^14\), \(^14\) in \(^14	In Half Pound Boxes.
No. 14 34 12 58 34 78 1 118 114 Burrs 3	No. 7—Uniform Lengths: \( \frac{1}{4}, \frac{3}{8}, \frac{1}{2}, \frac{5}{8}, \frac{34}{4}, \frac{7}{5}, \frac{1}{1} \frac{1}{4} \text{ in } \) \( \frac{80}{52} \)  No. 8—Uniform Lengths: \( \frac{1}{4}, \frac{3}{8}, \frac{1}{2}, \frac{5}{6} \text{ and } \frac{37}{4} \text{ in } \) \( \frac{50}{52} \)  No. 8—Uniform Lengths: \( \frac{1}{4}, \frac{3}{8}, \frac{12}{2}, \frac{5}{6}, \frac{31}{4}, \frac{7}{5}, \frac{11}{4}, \frac{11}{2} \text{ in } \) \( \frac{56}{56} \)  No. 9—Uniform Lengths: \( \frac{1}{4}, \frac{3}{8}, \frac{1}{2}, \frac{5}{6}, \frac{34}{4}, \frac{7}{5}, \frac{1}{11} \) \( \frac{55}{56} \)  No. 10—Uniform Lengths: \( \frac{1}{4}, \frac{3}{8}, \frac{1}{2}, \frac{5}{6}, \frac{3}{4}, \frac{7}{5}, \text{ in } \) \( \frac{57}{56} \)  Assorted Lengths: \( \frac{1}{4}, \frac{3}{8}, \frac{1}{2}, \frac{5}{6}, \frac{3}{4}, \frac{7}{5}, \text{ in } \) \( \frac{57}{66} \)  Assorted Lengths: \( \frac{3}{8}, \frac{1}{2}, \frac{5}{6}, \frac{3}{4}, \frac{7}{5}, \text{ in } \) \( \frac{57}{66} \)
3	
	70 78 No. 7—Uniform Lengths: 3, 16, 5, 34 in. 55 6 85 Assorted Lengths: 3, 16, 5, 34 in. 56 0 180 No. 8—Uniform Lengths: 3, 16, 5, 34 in. 56 2 368 Assorted Lengths: 3, 16, 5, 34 in. 58 8 417 No. 9—Uniform Lengths: 3, 16, 5, 34 in. 58 8 417 Assorted Lengths: 3, 16, 5, 34 in. 58 0 Assorted Lengths: 3, 16, 5, 34 in. 66 0 Assorted Lengths: 3, 16, 5, 34 in. 660 0 Assorted Lengths: 3, 16, 5, 34 in. 660 0 Assorted Lengths: 3, 16, 5, 34 in. 660 0 Assorted Lengths: 3, 16, 5, 34 in. 660
Coppered Iron Rivets and Burrs.	pered Iron Rivets and Burrs.
In Half Pound Boxes.	
No. 7—Uniform Lengths: 3, ½, %, ¾, ¼, 1 in \$0.39 No. 9—Uniform Lengths: 3, ½, ¼, ¾, ¼ in \$0.40 Assorted Lengths: 3, ½, ½ and ¾ in 43 Assorted Lengths: 3, ½, ½ and ¾ in 40 No. 10—Uniform Lengths: 3, ½, ½, ¾ in 40 No. 10—Uniform Lengths: 4, ½, ½, ¾ in 40 No. 10—Uniform Lengths: 4, ½, ½, ¾ in 40 No. 10—Uniform Lengths: 4, ½, ½, ¾ in 40 No. 10—Uniform Lengths: 4, ½, ½, ¾ in 40 No. 10—Uniform Lengths: 4, ½, ½, ¾ in 40 No. 10—Uniform Lengths: 4, ½, ½, ¾ in 40 No. 10—Uniform Lengths: 4, ½, ½, ¾ in 40 No. 10—Uniform Lengths: 4, ½, ½, ¾ in 40 No. 10—Uniform Lengths: 4, ½, ½, ¾ in 40 No. 10—Uniform Lengths: 4, ½, ½, ¾ in 40 No. 10—Uniform Lengths: 4, ½, ¼, ¾ in 40 No. 10—Unifor	in \$0.39 No. 9—Uniform Lengths: 36, 1/2, 1/2, 1/3, 1/4 in \$0.41  Assorted Lengths: 36, 1/2, 1/3, 2/4 in 45
3/16 4/16 5/16 6/16 7/16 8/16	
No. 1 Japanned Tubular Rivets.	1 Japanned Tubular Rivets.
Uniform Lengths. 1,000 in a Box. Assorted Lengths. In Papers. 12 in Carton.	Box. Assorted Lengths. In Papers. 12 in Carton. Per carton.
Inch $t_{16}$ $t_$	$^{10}_{16}$ $^{12}_{16}$ 50 in a Box. $^{3}_{16}$ to $^{8}_{16}$
1/16 5/16 6/16 7/16 8/16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	T T T T T T T T T T T T T T T T T T T
Copper Bevel Clinch Rivets.	opper Bevel Clinch Rivets.
Japanned malleable iron hollow handle, polished head, 4-inch polished steel slide, graduated ½-inch, with set screws. Total length, 5 inches. Weight, about 12 pounds per dozen.  Per doz.  No. 51½—Tempered Steel Blade	set screws. Total length, en.  Per doz.

Packed Six in a Box.

### Riveting Machines



### The "Rex" Riveter.

This machine is designed to meet the demand for a low-priced machine, but the quality is not slighted in the least. At the price there is no better machine made. For No. 1 Tubular or Bifurcated Rivets, adjusts automatically to any length rivet. Case hardened steel plunger and anvil, malleable iron frame, finished in black Japan. One in a paper box. Shipping weight per dozen, 38 pounds.



### The "Victor" Riveter.

Per doz


Made of malleable iron and hardened steel, and is absolutely first-class and fully guaranteed as to workmanship and material. Will do perfect work with No. 1 Rivets, either tubular or split. Sets Rivets all lengths up to and including 10<sub>16</sub>. It automatically adjusts to all lengths without change of any kind. This machine is especially adapted for harness and repair work. Has a larger throat opening than any machine of this class on the market



#### The "Best Yet" Riveter.

Provided with a punch for punching the buckle holes. This machine will be found the handiest tool on earth for quickly repairing harness, belting and straps of all kinds. It automatically adjusts and will set any length tubular or split, harness or shoe rivets without change of any kind. When punching for buckles lay a board, one inch thick, on the face of the anvil and your strap on this board; then by pushing the lever of the machine down you will be able to force the punch through the leather with the greatest ease. "Best Yet" is bound to outsell all others

### Spring Punches



No. 1—Single Tube.	Assorted	Sizes,	Nos.	3 to 9.	Screw	Tubes,	Forged	Steel	 \$ 6.00
No. 4—Four Tubes.	4.4	**	Nos.	4, 6, 8,	10.	1.6	< 4		 20,00
No. 6-Six Tubes	< 4	6.6	Nos.	1, 2, 3,	4, 5, 6,	Screw	Tubes, 1	Forged Steel	 24.00

Websier Francy Library or Volency Medicine
Common of School of Control by Library at
Turchi
200 Websier School
North Coding to Social (1900)

			*
			. •



